

**Amendments To The Claims**

Claims 1-8, 10-18, and 20-46 are presently pending. Please add new Claims 47-54 as set forth below. This version and listing of claims replaces all prior versions and listings of claims.

1. (previously presented) A computer implemented method of processing an electrocardiogram (ECG), comprising the steps of:

receiving digital parameter data for a clinical study, said digital parameter data representing demographic data to be collected for ECGs associated with said clinical study and rules associated with said clinical study; and

automatically generating a query if when a problem is identified with collected demographic data based upon said digital parameter data, said query eliciting resolution of said problem.

2. (previously presented) The method of claim 1,

wherein said problem is identified as requiring either internal query resolution or external query resolution,

wherein said digital parameter data include query resolution contact information identifying a source of query resolution,

said automatically generating step further comprising the step of generating a query for an external contact in accordance with said query resolution contact information if said problem is identified as requiring external query resolution.

3. (previously presented) The method of claim 2, further comprising notifying an internal contact of said problem if said problem is identified as requiring internal query resolution.

4. (original) The method of claim 2, wherein said query resolution contact information includes an identification of a party to be contacted and a contact method.

5. (previously presented) The method of claim 1, wherein said step of automatically generating said query includes the step of identifying whether demographic data are missing from said collected demographic data, said collected demographic data violate a rule associated with said clinical study, or said collected demographic data are inconsistent with demographic data received for a second ECG associated with said clinical study, or a combination thereof.

6. (previously presented) A computer implemented method of processing an electrocardiogram (ECG), comprising the steps of:

receiving digital ECG data for a plurality of ECGs for a plurality of patients within a clinical study, said digital ECG data evincing a plurality of heartbeats detected during said plurality of ECGs for each patient from said plurality of patients;

after said ECG data is received, measuring at least one interval for each of said plurality of ECGs;

providing said ECGs to at least one evaluating physician and respective interval duration measurement data for medical evaluation;

receiving digital evaluation data representing a medical evaluation by said at least one evaluating physician of respective ECGs from said plurality of ECGs; and

automatically flagging at least one ECG from said plurality of ECGs for re-measurement of said at least one interval and/or re-evaluation by an evaluating physician based on quality review rules.

7. (previously presented) The method of claim 6, further comprising displaying respective annotated ECG images to said evaluating physician for ECGs to be evaluated by said evaluating physician, said annotated ECG images showing markings identifying said at least one interval.

8. (previously presented) The method of claim 6, further comprising the steps of:

receiving digital parameter data for said clinical study, said digital parameter data representing said quality review rules,

said automatically flagging step including the step of identifying said at least one ECG based at least in part on said digital evaluation data and/or said interval duration measurement data.

9. (canceled)

10. (original) A computer implemented method of processing an electrocardiogram (ECG), comprising the steps of:

receiving digital ECG data for a plurality of ECGs for a plurality of patients within a clinical study, said digital ECG data evincing a plurality of heartbeats detected during said ECGs;

receiving digital interval duration data, said digital interval duration data representing time durations of measured interval associated with heartbeats from said plurality of heartbeats; and

providing said digital ECG data and digital interval duration data to a regulatory agency processor through a computer network from a computer processor unit remote from said regulatory agency processor.

11. (previously presented) An electrocardiogram (ECG) processing system, comprising:

means for receiving digital parameter data for a clinical study, said digital parameter data representing demographic data to be collected for ECGs associated with said clinical study and rules associated with said clinical study; and

means for automatically generating a query when a problem is identified with collected demographic data based upon said digital parameter data, said query eliciting resolution of said problem.

12. (previously presented) The system of claim 11,

wherein said problem is identified as requiring either internal query resolution or external query resolution,

wherein said digital parameter data include query resolution contact information identifying a source of query resolution,

said automatically generating means further comprises means for generating a query for an external contact in accordance with said query resolution contact information if said problem is identified as requiring external query resolution.

13. (previously presented) The system of claim 12, further comprising means for notifying an internal contact of said problem if said problem is identified as requiring internal query resolution.

14. (original) The system of claim 12, wherein said query resolution contact information includes an identification of a party to be contacted and a contact method.

15. (previously presented) The system of claim 11, wherein said automatically generating said query means includes means for identifying whether demographic data are missing from said collected demographic data, said collected demographic data violate a rule associated with said clinical study, or said collected demographic data are inconsistent with demographic data received for a second ECG associated with said clinical study, or a combination thereof.

16. (previously presented) An electrocardiogram (ECG) processing system, comprising:

means for receiving digital ECG data for a plurality of ECGs for a plurality of patients within a clinical study taken with at least one remote electrocardiogram machine, said digital ECG data evincing a plurality of heartbeats detected during said plurality of ECGs for each patient from said plurality of patients;

means for, after said ECG data is received, measuring at least one interval for each of said plurality of ECGs;

means for providing said ECGs to at least one evaluating physician and respective interval duration measurement data on a display for medical evaluation;

means for receiving digital evaluation data representing a medical evaluation by said at least one evaluating physician of respective ECGs from said plurality of ECGs; and

automatically flagging at least one ECG from said plurality of ECGs for re-measurement of said at least one interval and/or re-evaluation by an evaluating physician based on quality review rules.

17. (previously presented) The system of claim 16, further comprising means for displaying on a monitor respective annotated ECG images to said evaluating physician for ECGs to be evaluated by said evaluating physician, said annotated ECG images showing markings identifying said at least one interval.

18. (previously presented) The system of claim 16, further comprising:

means for receiving digital parameter data for said clinical study, said digital parameter data representing said quality review rules,

said automatically flagging means including means for identifying said at least one ECG based at least in part on said digital evaluation data and/or said interval measurement duration data.

19. (canceled)

20. (original) An electrocardiogram (ECG) processing system, comprising:

means for receiving digital ECG data for a plurality of ECGs for a plurality of patients within a clinical study from a receiving station coupled to at least one remote electrocardiogram machine, said digital ECG data evincing a plurality of heartbeats detected during said ECGs;

means for receiving digital interval duration data, said digital interval duration data representing time durations of measured interval associated with heartbeats from said plurality of heartbeats; and

means for providing said digital ECG data and digital interval duration data to a regulatory agency processor through a computer network from a computer processor unit remote from said regulatory agency processor.

21 (previously presented) A method of processing an electrocardiogram (ECG), comprising the steps of:

- (a) receiving digital ECG data for an ECG lead, said digital ECG data evincing a plurality of a patient's heartbeats detected during an ECG;
- (b) displaying an ECG tracing image of said plurality of heartbeats on a display of a user terminal;
- (c) after step (b), receiving an identification of interval points for at least one interval on said ECG tracing image to be measured;
- (d) determining a time duration of said at least one interval based at least in part on said interval points; and
- (e) recording digital annotation data representing said identified interval points for said at least one interval,

wherein an annotated ECG tracing image showing markings corresponding to said identified interval points is developable from said digital ECG data and said digital annotation data.

22. (previously presented) The method of claim 21, wherein said step (c) comprises:

displaying at least one movable caliper on said display over said ECG tracing image;

receiving through an input device a selection of said interval points on said ECG tracing image with said movable caliper; and

recording data corresponding to said selection.

23. (previously presented) The method of claim 22, wherein said displayed ECG tracing image includes at least 3 heartbeats, wherein step (c) comprises receiving an identification of interval points for at least 3 intervals associated with at least 3 heartbeats from said ECG tracing image.

24. (previously presented) The method of claim 23, wherein said intervals are selected from the group consisting of PR, QT, RR and QRS intervals or a combination thereof.

25. (previously presented) The method of claim 22, further comprising recording said time duration as digital interval duration measurement data.

26. (previously presented) The method of claim 21, wherein an identification of interval points for a plurality of intervals on said ECG tracing image to be measured are received.

27. (previously presented) The method of claim 21, wherein said at least one interval is a PR, QT, RR or QRS interval.



28. (previously presented) The method of claim 21, wherein digital ECG data are received for a plurality of ECG leads, said method further comprising the step of receiving a selection of at least one ECG lead for use in step (c).

29. (previously presented) The method of claim 21, further comprising the steps of:

retrieving said digital annotation data;

developing said annotated ECG tracing image showing said markings from said digital ECG data and said retrieved digital annotation data;

displaying said annotated ECG tracing image on a display to an evaluating physician; and

receiving a medical evaluation of said annotated ECG tracing image by said evaluating physician.

30. (previously presented) The method of claim 29, further comprising retrieving digital interval duration data associated with said determined time duration, and providing said time duration to said evaluating physician.

31. (previously presented) The method of claim 30 further comprising the steps of:

automatically generating a report for said annotated ECG image, said report including said medical evaluation; and

automatically providing said report to a party identified by digital reporting criteria for said clinical study and in a manner identified by said digital reporting criteria.

32. (previously presented) A system for processing an electrocardiogram (ECG), comprising:

- (a) means for receiving digital ECG data for an ECG lead, said digital ECG data evincing a plurality of a patient's heartbeats detected during an ECG;
- (b) means for displaying an ECG tracing image of said plurality of heartbeats on a display of a user terminal;
- (c) means for receiving an identification of interval points for at least one interval to be measured on said displayed ECG tracing image;
- (d) means for determining a time duration of said at least one interval based at least in part on said interval points; and
- (e) means for recording digital annotation data representing said identified interval points for said at least one interval,

wherein an annotated ECG tracing image showing markings corresponding to said identified interval points is developable from said digital ECG data and said digital annotation data.

33. (previously presented) The system of claim 32, wherein means (c) comprises:

means for displaying at least one movable caliper on said display over said ECG tracing image;

means for receiving through an input device a selection of said interval points on said ECG tracing image with said movable caliper; and

means for recording data corresponding to said selection.

34. (previously presented) The system of claim 33, wherein said displayed ECG tracing image includes at least 3 heartbeats, wherein means (c) comprises means for receiving an identification of interval points for at least 3 intervals associated with at least 3 heartbeats from said ECG tracing image.

35. (previously presented) The system of claim 34, wherein said intervals are selected from the group consisting of PR, QT, RR and QRS intervals or a combination thereof.

36. (previously presented) The system of claim 33, further comprising means for recording said time duration as digital interval duration measurement data.

37. (previously presented) The system of claim 32, wherein said receiving means comprises means for receiving an identification of interval points for a plurality of intervals on said ECG tracing image to be measured.

38. (previously presented) The system of claim 32, wherein said at least one interval is a PR, QT, RR or QRS interval.

39. (previously presented) The system of claim 32, wherein digital ECG data are received for a plurality of ECG leads, said system further comprising the means for receiving a selection of at least one ECG lead for use by means (c).

40. (previously presented) The system of claim 32, further comprising:

means for retrieving said digital annotation data;

means for developing said annotated ECG tracing image showing said markings from said digital ECG data and said retrieved digital annotation data;

means for displaying said annotated ECG tracing image on a display to an evaluating physician; and

means for receiving a medical evaluation of said annotated ECG tracing image by said evaluating physician.

41. (previously presented) The system of claim 40, further comprising means for retrieving digital interval duration data associated with said determined time duration, and providing said time duration to said evaluating physician.

42. (previously presented) The system of claim 41,

means for automatically generating a report for said annotated ECG image, said report including said medical evaluation; and

means for automatically providing said report to a party identified by digital reporting criteria for said clinical study and in a manner identified by said digital reporting criteria.

43. (previously presented) The method of claim 1, further comprising the steps of:

receiving collected demographic data respective to a plurality of ECGs to be medically evaluated and associated with said clinical study;

before an individual ECG from said plurality of ECGs is made available for medical evaluation, comparing said collected demographic data associated with said individual ECG against said received digital parameter data; and

if a query is generated associated with said individual ECG, flagging said individual ECG as unavailable for medical evaluation until said query is resolved.

44. (previously presented) The system of claim 11, further comprising:

means for receiving collected demographic data respective to a plurality of ECGs to be medically evaluated and associated with said clinical study;

means for, before an individual ECG from said plurality of ECGs is made available for medical evaluation, comparing said collected demographic data associated with said individual ECG against said received digital parameter data; and

means for, if a query is generated associated with said individual ECG, flagging said individual ECG as unavailable for medical evaluation until said query is resolved.

45. (previously presented) The method of claim 6, further comprising providing said at least one ECG for re-measurement or re-evaluation if said at least one ECG is flagged.

46. (previously presented) The system of claim 16, further comprising means for providing said at least one ECG for re-measurement or re-evaluation if said at least one ECG is flagged.

47. (new) The method of claim 21, wherein step (c) comprises receiving an identification of interval points for a plurality of intervals, said plurality of intervals being associated with at least two displayed heartbeats from said plurality of heartbeats.

48. (new) The method of claim 47, wherein said intervals are selected from the group consisting of PR, QT, RR, and QRS intervals.

49. (new) The method of claim 47, further comprising receiving an identification of interval points for a plurality of intervals for each of said at least two heartbeats.

50. (new) The method of claim 21, further comprising the steps of:

after step (e), retrieving said recorded digital annotation data;

developing said annotated ECG tracing image showing said markings from said digital ECG data and said retrieved recorded digital annotation data; and

displaying said annotated ECG tracing image on a display.

51. (new) The system of Claim 32, wherein means (c) comprises means for receiving an identification of interval points for a plurality of intervals, said plurality of intervals being associated with at least two displayed heartbeats from said plurality of heartbeats.

52. (new) The system of Claim 51, wherein said intervals are selected from the group consisting of PR, QT, RR, and QRS intervals.

53. (new) The system of Claim 51, wherein means (c) further comprises means for receiving an identification of interval points for a plurality of intervals for each of said at least two heartbeats.

54. (new) The system of claim 32, further comprising:

means for retrieving said recorded digital annotation data;

means for developing said annotated ECG tracing image showing said markings from said digital ECG data and said retrieved recorded digital annotation data; and

means for displaying said annotated ECG tracing image on a display.